



MimioView 340H

High-definition pictures and live video can really engage students and drive home a lesson. And your teachers can do it with plug-and-play simplicity. They take the document camera out of the box, attach a single cord, and it's ready to go. Teachers don't need to learn additional programs because it automatically integrates with MimioStudio™ classroom software, and that means students can begin their learning immediately.

“The MimioView is excellent for transforming any object – flat or 3D – into interactive electronic content that I can bring right into my lesson.”

James Taschek
Middle School Teacher
Telluride, CO

Take all the wonder of interactive lessons and activities, and launch it even farther by adding high-definition (HD) pictures or live HD video. This is the most user-friendly document camera available. No tangle of wires or endless cords to plug in. One USB plug does it all. The NEW MimioView™ 340H document camera also automatically integrates with MimioStudio software, and instantly captures HD pictures and live HD video to incorporate into your lessons. Teachers can display, freeze, annotate, and save all visual content.

- Plug into a single USB computer port for both power and data.
- No external power sources or wall cords needed.
- Autofocus by pushing a single button.
- Capture both dimensional objects and flat documents.
- Two adjustable light sources.
- Save work by easily annotating images and creating files to use over and over.
- Enjoy exceptional detail with high-definition 1920x1080 imaging.



Zoom or show an angle view, with the convenient gooseneck arm.

Specifications

Package Contents

3.2 megapixel camera on flexible gooseneck arm; 2 LED light sources on independent, flexible gooseneck arms; microscope adapter; 3 m (10 ft) USB cable with Type-B male on the camera end and Type-A male on the computer end; and MimioStudio hardware license.

Specifications

Minimum Software Requirements

MimioStudio 11.3 or higher on a Windows, Mac, or Linux OS.

For specific system requirements, please visit us at mimio.com/support/downloads

Output Resolution

High-definition 1920 x1080

Sensor Pixels

3.2 megapixel

Input/Output

USB 2.0 High Speed only

Connection

Single USB cable

Zoom

8x mechanical zoom, 16x digital zoom

Lighting

Two independently adjustable LED lights

Shooting Area

420 mm x 315 mm when height is 360 mm (16.5 in. x 12.4 in.)

Driver Interface

UVC

User Input

4 Buttons: View, Auto-Tune, Rotate, and Freeze

Image Rotation

90-degree increments (CW/CCW)

Microscope Adapter

Provided

Overall Weight

1.25 kg (2.8 lb)

Footprint Dimensions

12.7 cm x 14 cm (5 in. x 5.5 in.)

Operating Temperature

5°C to 35°C (41°F to 95°F)

Storage Temperature

-20°C to 55°C (-4°F to 131°F)

Focus

Automatic

Color Balance

Automatic

Video and Images

Save to MimioStudio Gallery

Content Alignment

Straightedge incorporated on base

Camera Adjustment

Flexible gooseneck for camera


Certification & Compliance

Safety & EMC: FCC (U.S.), IC (Canada), CE (Europe), EAC (Russia), VCCI (Japan), C-tick (Australia/New Zealand), Environmental: RoHS, WEEE.


Warranty and Support

Mimio hardware is warranted for 2 years from date of purchase, with an additional 3 years with product registration at mimio.com/warranty within 90 days of product receipt date, for a total of 5 years. MimioStudio software is supplied with a limited lifetime warranty, expiring 1 year after discontinuation of the product.


Side View



Base View



Back View



mimio[®]
a better way to learn

Contact your local Mimio representative.